Digitized by the Internet Archive in 2015

### STATISTICAL TABLES

OF THE

# ROYAL INFIRMARY OF EDINBURGH:

#### FOURTH SERIES,

FROM 1st JULY 1843 TO 30th SEPTEMBER 1844.

BEING AN

APPENDIX TO THE REPORT OF THE MANAGERS FOR THE YEAR 1844.

COMPILED BY

JOHN HUGHES BENNETT, M.D.

STATISTITIAN AND PATHOLOGIST TO THE ROYAL INFURMARY.

EDINBURGH:

PRINTED BY THE EDINBURGH PRINTING COMPANY.

M.DCCC.XLV.

The same plan has been followed in this as in the Reports drawn up by my predecessors. It differs only in not containing tables of individual diseases. These have been omitted, because they afford little additional information to what may be gathered by a reference to each disease in Table I. The other Tables formerly comprehended in the Medical Report will be found in the General Statement, to which this is an Appendix.

J. H. B.

TABLE !.

PATIENTS treated in the ROYAL INFIRMARY between the 1st of July 1843 and the 30th of September 1844, inclusive, arranged according to their Diseases.

,								1								
				MAI	LES.				1	FEM	ALES	S.				
DISEASES.	Total MALES and FEMALES.	Total Males.	Cured.	Relieved.	Advice, Desire, or no Change.	Irregular or Improper.	Died.	Total FEMALES.	Cured.	Relieved.	Advice, Desire, or no Change.	Irregular or Improper.	Died.	Average Residence in Hospital.  Days.	Mort per (	
		Tota	<u> </u>	Re	Advic or no	Irre		Total	C	Re	Advic or no	Irre	I		Males.	Fem.
FEVER— Intermittent,	4642	2284 2	2080 2	2	8	5	189	2358 1	2173 1	2		3	172	25 25	8.27	7·29
Total Fevers,	4645	2286	2082	2	8	5	189	2359	2174	2	8	3	172	•••		•••
OF NERVOUS SYST.  Ilydrocephalus, Cephalalgia, Apoplexy, Asphyxia, Delirium e. Tremore, Disease of Brain, Hemiplegia, Paralysis, Spasms, Parallysis Partialis, . Paraplegia, Ilysteria, Spinal Cord, Spinal Irritation, Epilepsy,	2 10 4 3 34 25 6 15 4 8 11 22 2 7 15 4	1 6 2  26 15 3 10 3 5 8 	1	3 2 3 5 1 4 5	2 2		11 2 11 1 1 1	1 4 2 3 8 10 3 5 1 3 3 22 1 7 7	1 1  15  2	 1 1 1 2 3 4  5	 3 1		1 2 1 3 6 1 2	28 56 30 55 42 61 27 129 32 35 36		
Hypochondriasis, Mania, Puerperal Mania, . Neuralgia,	19 1 20	12 —	<sub>2</sub>	1 6	2  1	•••	1	13 1 8	4	 1 3		 		16 35 32 37		
Total Nervous System,	216	1111	41	31	12	2	25	105	40	32	12	1	20	•••	22.52	19:04
OF RESPIRATORY ORGANS— Chr. Laryngitis,	3 1 79 57 31 133 2 6 25 8 21 2 4	 1 35 32 22 81 1 5 14 5 14 2 4	12 10 1*  1 8 3 10	5. 13 25 2 1 2 2 1 2 2 5 9	3  1 	•••	1 2 6 8 35 1 1 2 1 1 57		28 19 0 	21 21 2 2	<sub>6</sub>		25 1 25 	31 3 21 22 23 55 22 23 26 25 12 11 22	2643	24:85
Total Resp. Organs, .	012	221													2.0 10	
OF ORGANS OF CIR- CULATION— Pericarditis, Disease of Heart, . Aneurism of Aorta, . ————————————————————————————————————	1 87 8 4 1 2	1 54 7 8 1 2	2† 2 1 1	20 2 	 7 2 1	•••	25 3 	35 1 1	e e e e e e e e e e e e e e e e e e e	11	4	•••	15 1 1 1	21 34 32 25 24 63		
Total Organs of Cir-	103	68	6	23	10		29	35	3	11	4	•••	17		12 64	18:57

<sup>\*</sup> Reported cured.

TABLE I.—Patients Treated in the Royal Infirmary between the 1st of July 1843 and the 30th of September 1844, inclusive, arranged according to their Diseases,—Continued.

		,			,		5 0 42			-0 -			2 - 1.5 -			
				MA	LES.				1	EM	ALES	Š.		Average	Mort	ATIMV
DISEASES.	Total MALES and FEMALES.	Total Males.	Cured.	Relieved.	Advice, Desire, or no Change.	Irregular or Improper.	Died.	Total Femalies.	Cured	Relieved.	Advice, Desire or no Change.	Irregular or Improper.	Died.	RESIDENCE in Hospital.  Days.		Cent.
		Tota	0	Re	Advic or no	Irreg	I	Total	o 	Re	Advic or no	Irre			Males.	Fem.
OF ORGANS OF DI- GESTION— Tonsillitis,	14	4	4					10	8	2				12		
Parotitis,	3	3	1			1	1	1	1					5 17		
Peritonitis,	11 1 14	2 1		 1 1			2 1	9 12	4 4		1 2	•••	4 3	27		
Gastritis, Disease of Stomach, Enteritis,	6 6 9	.2 5 3 8	4 3	1	•••	•••	2	1 3	1	 1			2	30 43 25		
Gastro-Enteritis, . Dysentery,	1 11	7		1			5  2	1 1 4	4				1	21  32		
Diarrhea,	18 3 9	11 1 4	$\begin{array}{c c} 11 \\ 1 \\ 2 \end{array}$			•••	2	7 2 5	1 1 3	1			4 2	14 4 68		
Organic Disease of Liver,	18 8	8	2 2	1	•••		5 1	10	2 4	4	•••		4	31 26		
Hernia,	60 7 8	$\begin{bmatrix} 31 \\ 4 \\ 2 \end{bmatrix}$	12 2 2	14 2	5			29 3 6	18 2 3	7	4	•••	ï	16 19		
not Syphilitie,	21 2	8 2	8 2					13	11	1	2 2	•••		19 5 24		
Hæmatemesis, Disease of Abdomen,	3	2	•••	2				1	2	1 1			1	17 10		
Total Organs of Di-	238	112	60	25	5	1	21	126	69	23	11		23	•••	18.75	18:25
OF GENITO-URI- NARY ORGANS— Nephritis,	3	1	1					0								
Granular Disease of Kidney	37 1	22	3	7	3		9	15	1	6	1		7	49 33		
Leucorrhea, Disease of Ovary, .	10 4	•••	•••		•••		•••	1 10 4	1 5 	3 2	2	2	•••	$rac{41}{23} \ 42$		
Tumours of Uterus, . Amenorrhea, Menorrhagia,	10 14 4		•••	•••	•••	•••	• • •	10 14 4	6 3	$\begin{bmatrix} 2\\ 3\\ \dots \end{bmatrix}$	3 1	2	4	37 20 39		
Disease of Bladder \ and Prostate, . \ Chr. Cystitis,	4	4 3		1	2		1				1		•••	11 34		
Caleulus Vesicæ, Stricture of Urethra, Retention of Urine,	5 13 7	5 13 6	5 10 3	 1 1	 2 2	•••	•••	 1		•••			•••;	32 29		
Incontinence of,	1 9 6	1 7 6	 3 6	1 3			1	2	2	•••			•••	18 23 65		
Disease and Chr. Enlargement of Testis,	5	5	4	1	•••	•••		•••		•••		•••		34 20		
Hydrocele,	29 2	29	23	5 2		•••	1			•••			•••	27 8		
Gonorrhea,	5 19 63	5 16 51	14 27	14	$\begin{vmatrix} 1\\2\\4 \end{vmatrix}$	4	2	3 12	 1 6	3	1 2		1	12 22 40		
Disease of Serotum, 11æmaturia,	1 2	1 2	2	1	•••	•••							• • • •	102 27		
Total Genito-Urinary) Organs	258	179	106	38	17	1	14	79	29	20	13	5	12		7:82	15:19

TABLE I.—Patients treated in the Royal Infirmary between the 1st of July 1843 and the 30th of September 1844, inclusive, arranged according to their Diseases,—Continued.

MISCELLANEOUS																	
MISCELLANEOUS					MAI	LES.				I	FEMA	ALES	5.		Avonogo	Manm	
Amsarca and Ge-  neral Dropsy,   25	DISEASES.	MALES and	Total Males.	Cured.	Relieved.	Advice, Desire, or no Change.	Irregular or Improper.	Died.	Total FEMALES.	Cured.	Relieved.	Advice, Desire, or no Change.	Irregular or Improper.	Died.	RESIDENCE In 110spital.	per (	Cent.
OF THE INTEGUMENTARY SYSTEM, INCLUDING FEBRILE ERUPTIONS— Scables, 13 10 6 1 3 3 2 1	Anasarca and Ge-\ neral Dropsy, \} Purpnra, \ Scrofula, \ Acute Rhenmatism, Chronic \ Plenrodynia, \ Diabetes, \ Poisoning, \ Drunkenness, \ Inanition and De-\ bility, \ Bronchocele, \ Nævus, \	2 11 91 70 14 7 5 14 22	1 5 48 44 5 5 1 9 12 1	1 2 39 25 5  5 4 1	1 5 17  3  1 5		 1  2 	1 1  2  1 2	1 6 43 26 9 2 4 5 10	1 4 39 12 7  2 4 6 	 1 3 11 1  2 	1		1 2  1 	25 56 20 43 18 124 8 3 15 46		
CLUDING FEBRILE   CRUPTIONS   CRUPTIONS	Total Miscellaneous—	264	145	89	34	8	3	11	119	86	20	3	5	5		7:58	4.20
OF THE EYE— Conjunctivitis, 16	TARY SYSTEM, IN- CLUDING FEBRILE ERUPTIONS— Scabics,	10 13 11 2 1 5 5 5 1 1 1 1 2 11 13 8 10 4 32 1	4 9 8 8 2 1 2 2 1 1 7 5 2 6 6 1 18 1 4 1	2 8 4 2 1 1 1 5 4 2 2 6 6 1 1 1 1 4 4 1	1 1 3 1 2 3 3			    1	6 4 3 3 3 1 1 2 4 4 8 6 6 4 4 3 1 4 2 2 2	3 2 1 3 2 1 1 1 2 3 7 6 6 4 2 1 4 2 2	3 2 1  1  1  	::: ::: ::: ::: ::: ::: ::: ::: ::: ::		   			
Conjunctivitis,	Total Integ. Syst.	153	84	61	13	6	I	3	69	57	9	2		1			<u></u>
Fistula Lachrymalis, 1	Conjunctivitis, Corneitis and Scle-) rotitis, Iritis, Kind not stated, Strabismus, Amaurosis, Cataract, Organic Disease, . Fistula Lachrymalis,	3 9 4 1 6 15 9	2 7 3 1 5 11 8 	3 2 1 1 4 4	 2 1  1 4 3	2 2 2 3 1	1	•••	1 2 1  1 4 1	1 2 1  2  1	 1 1 	 1 1			40		

ABLE I.—Patients treated in the Royal Infirmary between the 1st of July 1843 and the 30th of September 1844, inclusive, arranged according to their Diseases,—Continued.

				_	_		- 1		_							
				MAL	ES.				F	ЕМА	LES.			Average	Mort	
DISEASES.	Total MALES and FEMALES.	Total MALES.	Cured.	Relieved.	Advice, Desire, or no Change.	Irregular or Improper.	Died.	Total FEMALES.	Cured.	Relieved.	Advice, Desire, or no Change.	Irregular or Improper.	Died.	Residence in Hospital.  Days.		
		Tota		ž .	or n	H				R		III III			Males.	Fem.
OF THE EAR—	13	10	2	2	6			3	1	1	1	•••	•••	19		•••
F NOSE AND MOUTH— Polypus Nasi, Hare Lip, Epulis, Canerum )	3	1 1	1			•••		2 2	2 1	1			•••	} 13		
Oris, and kind not stated, .	22	13	8	1	1		3	9	6	2	1					
Total Diseases of Nose and Mouth,	28	15	10	1	1		3	13	9	3	1					
OF THE LOCOMOTIVE ORGANS— Arthritis of Knee, Of Upper Extremities, Of Lower Extremities, Of Hip Joint, Of Bursæ, Periostitis, Necrosis, Caries, Of Joints,	1 15 27 18 4 15 24 38 81	14 18 13 1 7 15 24 43	 13 11 5 1 3 8 11 19	 3 6  3 4 5 16	 1 2 2  1 3 6 3		 2   2 5	1 1 9 5 3 8 9 14 38	1 1 8 1 3 7 5 6 29	 1 3 4 6	2  4 1		1 1 2	54 42 17 55 16 38 47 62 46		
COMOTIVE ORGANS,	223	135	71	37	18		9	88	61	15	7		5		7:37	6:69
OF RECTUM AND ANUS— Hæmorrhoids, Fistula in Ano,	13 16	12 15	10 10	2 3	1	•••	ï	1 1	1 1	•••	•••	• • • •		14 34		
Total Diseases of Rectum and Anus,	29	27	20	5	1		1	2	2							
TUMOURS— Non-Malignant,	18 36	7 18	4 11	2 1	1 6			11 18	8 8	2 2	1 6	•••	2	18 22		
Total Tumours,	54	25	15	3	7	1	1	29	16	4	7	1	2			6.80
ABSCESSES— Uleers of the Leg, — of other parts, Varicose Uleers,	49 98 47 12	30 48 22 5	17 36 13 4	1 8 3	5 2 4 1	2	7 2	19 50 25 7	15 45 22 7	3 4 1	1	1	1	41 24		
Total Auscesses	206	105	70	12	12	2	9	101	89	8	2	1	1	•••	8.56	0.99

TABLE I.—Patients treated in the Royal Infirmary between the 1st of July 1843 and the 30th of September 1844, inclusive, arranged according to their Diseases,—Continued.

				MAI	LES.				F		ALES			Average	Mort	A L.1 T
DISEASES.	Total MALES and FEMALES.	LALES.	Cured.	ved.	Desire, hange.	lar or oper.	ed.	MALES.	Cured.	Relieved.	Desire, hange.	Advice, Desire, or no Change. Irregular or Improper.		Residence in Hospital.		
		Total MALES.	Cur	Relieved.	Advice, Desire, or no Change.	Irregular or Improper.	Died	Total Females.	Cm	Relie	Advice, Desire, or no Change.	Irregu	Died.	Days.	Males.	Fer
GANGRENE OF FEET.	2	2	ι				1							44	50	
EXTERNAL INJURIES-																
Fractures of Fore-	8	7	5				2	1	1					34		
Arm,	3	3	3											14		
— of Humerus, — Compound,	10 1	8	6		2	•••	 1	2	2			•••	• • • •	22		
of Bones of Face.	1	1	1											31		
— of Cranium, — of Spine,	$\frac{2}{2}$	$\frac{2}{2}$	• • • •				$\begin{bmatrix} 2\\2 \end{bmatrix}$		•••				•••	4 23		
of Scapula,	2				:::			2	2			•••	• • •	43		
— of Ribs,	8	6 2	6 2					$\begin{vmatrix} 2\\1 \end{vmatrix}$	2 1	• • • •	•••		•••	20		
of Claviele,	3 19	111	11			***	•••	8	5	2			ï	23 54		
Compound,	3	3	2				1							112		
— of Pelvis,	2	2	1	1				70		•••		• • • •		26		
Leg, }	42	30	27			***	3	12	11	• • • •		•••	1	34		
Comminuted Fracture)	14	11	4				7	3		•••		• • • •	3	23		
of Patella, )	1	• • • •						1	1				• • • •	59		
of the Bones of the Foot,	2	2	1				1							49		
Dislocation of Shoul (der and Scapula,	3	3	2		1					•••				14		
Injuries of the Head,	19	15	10	2			3	4	3				1	11		
of the Face,	2 4	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	$\frac{1}{2}$					$\frac{1}{2}$	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$				• • • •	5 19		
- of the Chest,	1	1	1											6		
- of the Back, &c.,	22	16	12 5	2	2			6	5	•••		]	1	24		
Incised Wounds, Lacerated and Contus-)	4	3	3	• • • •				1	1					8		
ed Wounds,					•••			-		1 ***		• • • •	•••	51		
Gunshot Wounds, Wounds of Scalp,	2 24	2 14	1 14		1		1	10	9	1		***		17		
Burns and Sealds,	40	11	9		1		1	29	23	ī			5	52		
Cut Throat,	5	5	4	•••		1	1		•••			•••	•••	26		
Total EXTERNAL IN-	255	169	133	5	6	•••	25	86	70	4			12		14:79	13
TALIPES—and Con-) traction of Spine,	12	5	4		1			7	7					11		
Curvature of Spine	1					1		1	1		l		1	45		1

TABLE II.

GENERAL ABSTRACT OF THE PRECEDING TABLE.

				ма	LES.					FEM	ALE	S.			
DISEASES.	Total MALES and FEMALES.	Fotal MALES.	Cured.	Relieved.	Advice, Desire, or no Change.	Irregular or Improper.	Died.	FEMALES.	Cured.	Relieved.	Advice, Desire.	Irregular or Improper.	Died.		Cent.
		Total	Ç	Rel	Advice or no	Irreg	H	Total	ప	Rel	Advice or no	lrreg Iml	A	Males.	Fem.
FEVERS,	4645 216 372	$2286 \\ 111 \\ 216$	41	2 31 59	8 12 24	5 2 3	189 25 57	2359 105 <b>1</b> 56		32	8 12 10	3 1	172 20 38	8·27 22·52 26·43	7·29 19·04 24·35
OF ORGANS OF CIRCU- LATION,	103 238	68 112	6 60	23 25	10		29 21	35 126		11 23	4		17 23	42.64 18.75	48·57 18·25
OF GENITO-URINARY ORGANS,	258	179	106	38	17	4	14	79		20	13	5	12	7.82	15.19
MISCELLANEOUS, OF INTEGUMENTARY SYST. OF THE EYE,	$264 \\ 153 \\ 64$	145 84 41	89 61 18	34 13 12	8 6 10	3 1 1	11 3	119 69 28	86 57 17	20 9 3	3 2 3	5	5 1	7·58	4.20
OF THE EAR, OF NOSE AND MOUTH, . OF LOCOMOTIVE ORGANS,	13 28 223	10 15 135	10 71	1 37	6 1 18		3 9	3 13 88	1 9 61	1 3 15	1 1 7	•••	5	7:37	6:69
OF RECTUM AND ANUS, TUMOURS,	29 54 206	27 25 105	20 15 70	5 3 12	1 7 12	2	1 9	29 101	2 16 89	4 8	$\frac{1}{7}$		2	0.00 8.56	6·80 0·99
GANGRENE OF FEET, . EXTERNAL INJURIES, . TALIPES AND CONTRAC-)	$\begin{array}{c}2\\255\end{array}$	2 169	1 133	5	6		1 25	86	70	4			12	50·00 14·79	13:95
TION OF TENDONS, CURVATURE OF SPINE,	12 1	<i>5</i>	4	•••	1	•••	•••	7	7 1	•••			•••		
Cases of Pregnancy, .	7136	3735	2862	302	152	22	397	3401	2801	193	84	15	308	•••	•••
No Disease, Dead, or out in a few hours, and disease not reported,	68														
Total,	7204														

#### TABLE III.

## TABLE OF ADMISSIONS OF FEVER PATIENTS DURING EACH MONTH.

MONTHS.	Total.	Males.	Fem.	DII	ED.	Mort.		Average
				Males.	Fem.	Males.	Fem.	MORTALITY.
July 1843, August "	263 462 601 655 573 530 470 308 271 137 109 74 78 73 41	133 200 297 320 280 265 237 155 145 77 55 32 36 33 21	130 262 304 335 293 265 239 153 126 60 54 42 42 40 20	14 9 14 23 24 18 27 15 10 5 4 8 7	7 10 16 30 16 14 13 8 17 4 7 11 5 7			
Total,	4645	2286	2359	189	172	8.27	7:29	1 Death in 13 Cases nearly.



